

Kudo 6113K-11

416-433-6622
 madana.chawla@sympatico.ca



Models	6113K	6113K01	6113K02	
General Specifications				
Passenger Capacity:	11	11	11	
Range (loaded)	>49.71	>62.14	>62.14	
Max. Speed (mph)	27.96	24.85	24.85	
Minimum Turning Radius (ft)	13.12	13.12	13.12	
Max. Climbing Ability (loaded)	20°	20°	20°	
Controller:				
Curtis	1209	1205	1244	
Sepex				
Max. Loading Weight(lbs)	1610	1610	1610	
GVWR (lbs)	2210			
Over All Dimensions: (Feet)	15.19 X 4.89 X 6.36			
Wheelbase(ft):				
Motor: (hp)				
4				
5.5				
7	X	X	X	
Power/Voltage:				
36				
48		X	X	
72	X			
96				
Battery:				
Trojan T105	X	X	X	
Trojan T605 (8pcs)				
Trojan T875 (6pcs)				
Solar Panel				
Body:				
Body	Steel framework + fiberglass body			
Roof	Fiberglass +ABS, with hand holder			
Suspension:				
Front End	Indepentend suspension, cylinder hydraulic vibration absorber			
Rear End	Integrated rear end, steel plate spring suspension, cylinder hydraulic vibration aborber.			
Transmission	Clutch 4-speed			
Tire	4J 12' wheenl			
Wheel	12" Aluminum Wheel			




Standard Colors



For a list of accessories see
 Cruise Car's 2008 "Options &
 Accessories".





KUDO 6022K-X2

416-433-6622
 madan.chawla@sympatico.ca



Models	6022K	6022K01
General Specifications		
Passenger Capacity:	2	2
Range (loaded)	>49.71	>49.71
Max. Speed (mph)	19.88	24.85
Minimum Turning Radius (ft)	11.81	11.81
Max. Climbing Ability (loaded)	20°	20°
Controller:		
Curtis	1268	1266
Sepex		
Max. Loading Weight(lbs)	705.48	705.48
GVWR (lbs)	1305.48	
Over All Dimensions: (Feet)	8.20 X 3.87 X 5.90	
Wheelbase(ft):		
Motor: (hp)		
4		
5.5	X	X
7		
Power/Voltage:		
36		
48	X	X
72		
96		
Battery:		
Trojan T105		
Trojan T605 (8pcs)		
Trojan T875 (6pcs)	X	X
Solar Panel		
Body:		
Body	Steel framework + fiberglass rear body	
Roof	Aluminum frame + Fiberglass	
Suspension:		
Front End	Front plate spring + Vibration absorber	
Rear End	Rear plate spring + vibration absorber	
Driving Mode	Rear axle two stage deceleration, motor direct driving	
Tire	205/50-10 4pr	
Wheel	10" Aluminum Wheel	



Standard Colors



For a list of accessories see Cruise Car's 2008 "Options & Accessories".



KUDO 6042K-X4

KUDO SOLAR 6042-SX4

416-433-6622
madan.chawla@sympatico.ca



Models	6042K-X4	6042-SX4	
General Specifications			
Passenger Capacity:	4	4	
Range (loaded)	>49.71	>49.	
Max. Speed (mph)	20.51	20.51	
Minimum Turning Radius (ft)	13.12	13.12	
Max. Climbing Ability (loaded)	20°	20°	
Controller:			
Curtis	1268		
Sepex			
Max. Loading Weight(lbs)	794	794	
GVWR (lbs)	1394		
Over All Dimensions: (Feet)	9.65 X 4.59 X 5.68		9.65 X
Wheelbase(ft):	4.59 X 5.68		
Motor: (hp)			
4	X		
5.5		X	
7			
Power/Voltage:			
36			
48		X	
72	X		
96			
Battery:			
Trojan T105			
Trojan T605 (8pcs)	X	X	
Trojan T875 (6pcs)			
Solar Panel			
Body:			
Body	Steel framework + fiberglass rear body		
Roof	Aluminum frame + Fiberglass		
Suspension:			
Front End	Independent Suspension		
Rear End	With primary speed reducer and speed-change gear box		
Driving Mode	Rear wheel driving		
Tire	20.5 x8.0-10 4PR		
Wheel	10" Aluminum Wheel		



Standard Colors



For a list of accessories see
 Cruise Car's 2008 "Options &
 Accessories".



KUDO SOLAR 6062-SX6

KUDO 6062K-X6


416-433-6622
 madan.chawla@sympatico.ca



Models	6062K	6062K01	6062-SX6
General Specifications			
Passenger Capacity:	6	6	6
Range (loaded)	>49.71	>49.71	>49.71
Max. Speed (mph)	20.51	20.51	20.51
Minimum Turning Radius (ft)	13.12	13.12	13.12
Max. Climbing Ability (loaded)	20°	20°	20°
Controller:			
Curtis	1268	1266	1204
Sepex			
Max. Loading Weight(lbs)	992	992	882
GVWR (lbs)	1482		
Over All Dimensions: (Feet)	12.01 X 4.59 X 5.94		12.01 X 4.6 X 5.9
Wheelbase(ft):			
Motor: (hp)			
4		X	
5.5	X		
7			X
Power/Voltage:			
36			
48	X	X	
72			X
96			
Battery:			
Trojan T105			
Trojan T605 (8pcs)	X	X	X
Trojan T875 (6pcs)			
Solar Panel			
Body:			
Body	Steel framework + fiberglass rear body		
Roof	Aluminum frame + Fiberglass		
Suspension:			
Front End	Independent Suspension		
Rear End	With primary speed reducer and speed-change gear box		
Driving Mode	Rear wheel driving		
Tire	20.5 x8.0-10 4PR		
Wheel	10" Aluminum Wheel		



Model 6062 X6



Model 6062 SX6

Standard Colors



For a list of accessories see Cruise Car's 2008 "Options & Accessories".



SUZHOU EAGLE ELECTRIC VEHICLE MANUFACTURING CO., LTD.

No.99, Yin Xin Road, Guo Xiang Town, Suzhou, China
 Tel: +86 512 6252 1895, 6252 1797 Fax: +86 512 6252 1796

OFFER SHEET

Period of Validity : .

Payment Terms: "T/T 30% down payment at order, T/T 70% to be paid before the delivery" Or Irrevocable L/C at sight
Lead time: Four Weeks after getting your down payment or original L/C

Model	EG6158K	EG6158K01(Series)	EG6158K02 (Sepex)
UNIT PRICE (FOB SHANGHAI) (Based on FCL)	USD6840.00	USD7300.00	USD7800.00
Battery	T105X12	T105X16	T105X16
Motor	5KW Chinese Motor	5KW Chinese Motor	5KW Chinese Motor
Controller	Curtis 1209	Curtis 1205	Curtis 1244



With CE certificate for EU

General Specifications:

Passenger capacity	14	14	14
Power/Voltage	5KW/72V	5KW/48V	5KW/48V
Range (loaded) based on flat road at a speed of 20km/h (km)	80	100	100
Max. speed (km/h)	45	40	40
Minimum turning radius (m)	5.5	5.5	5.5
Overall dimension (mm)	5000*1490*2050	5000*1490*2050	5000*1490*2050
Max. climbing ability (loaded)	20%	20%	20%
Max. loading weight	1120KGS	1120KGS	1120KGS
tare weight	1270kgs	1390kgs	1390kgs
Qty/40' (Assembled)	2units	2units	2units
Qty/40HC (Disassembled)	4units	4units	4units



CONFIGURATIONS ("S" stands for standard configuration and "O" stands for optional configurations)

Part Descriptions	Remarks		
Body	fibre glass	S	
Roof	fibre glass + ABS, with hand holder	S	
Windscreen	Laminated glass	S	
Seats:			
1) backrest and cushion	Sponge + artificial leather	S	
2) armrest	Aluminum	S	
Floor	Bamboo board+ Non-slipping plastic	S	
Side rear view mirror	one piece each side	S	
Inner rear view mirror	one piece each cart	O	plus USD7.00
Overshadowing Curtain	\	O	plus USD145.00
Windscreen wiper	\	S	
	Wiper with water spray	O	plus USD20.00
DC-DC Converter	\	S	
Lights	Front: 2 Headlights (High beam and dipped headlight), 2 front turn signals, 2 fog lights; Back: 2 rear turn signals, 2 taillights(position light & brake light), 1 fog light, 1 reverse light)	S	
	License plate light	O	plus USD5.00
Dashboard	Voltmeter, ammeter, speedometer, turn signal indicator, headlight indicator, emergency switch, fog light switch; Headlight switch, turn signal switch, wiper switch, horn button; Radio receiver and tape player	S	
If with CD player	replacing original Radio & Tape player	O	plus USD 90.00
Microphone	wired	O	plus USD3.00
Horn and reverse alarm	\	S	
Cup drinker holder	1pc	S	
Speaker	4pcs fixed on roof	S	
Steering system	rack and pinion steering system	S	
Brake system	4-wheel drum hydraulic brake system + handbrake	S	
Oil tank alarm	\	S	
Front end and Suspension system	independent suspension, cylinder hydraulic vibration absorber	S	
Rear end and suspension system	integrated rear end, steel plate spring suspension, cylinder hydraulic vibration absorber	S	
Transmission system	Clutch, 4F+1R gear box, transmission shaft	S	
Seat belts	2 point seat belt(10 pcs)	O	plus USD115.00
Tyre	165R13,6PR	S	
Wheel	4.5J*13 Steel wheel, wheel cap	S	
	4.5J*13 Aluminum wheel,	O	plus USD125.00

